CLEAN VERSION OF AMENDMENTS

IN THE CLAIMS

Please add claim 26 as follows.

26. (new) A mat-form insulating material comprising:

- i) from 5 to 95% by weight of melamine resin fibers, which are obtained by condensing a melamine-containing mixture with formaldehyde or formaldehyde-supplying compounds in a molar ratio of melamines to formaldehyde within the range of 1:1.15 to 1:4.5, said melamine-containing mixture comprising
- (A) from 90 to 99.9 mol% of a mixture comprising
 - (a) from 30 to 99.9 mol% of melamine and
 - (b) from 1.0 to 70 mol% of a substituted melamine of the formula I

$$\begin{array}{c|c}
X^1 \\
N & N \\
X^2 & N
\end{array}$$

$$X^3 \qquad (1)$$

where X^1 , X^2 and X^3 are each selected from -NH₂, -NHR¹ and -NR¹R², subject to the proviso that X^1 , X^2 and X^3 are not all -NH₂, and R¹ and R² are independently selected from hydroxy-C₂-C₂₀-alkyl, hydroxy-C₂-C₄-alkyl-(oxa-C₂-C₄-alkyl)_n, where n is 1 to 5, and amino-C₂-C₁₂-alkyl, or mixtures of melamines of formula 1, and

(B) from 0.1 to 10 mol%, based on (A) and (B), of a compound selected from phenols which are unsubstituted or substituted by radicals selected from C₁-C₉-alkyl



BERBNER et al., Serial No. 10/000,330

crut.

and hydroxyl, C_1 - C_4 -alkanes substituted by two or three phenol groups, di(hydroxyphenyl) sulfones or mixtures thereof,

- ii) from 5-95% by weight of polyalkylene terepthalate fibers,
- iii) an amount, up to 30% by weight, of polyacrylonitrile fibers, and optionally
- iii) up to 20% by weight of additive.